

Strong light, wiring free, zero electric charge.















Detailed description

- O Flexible performance: light-operated + Human induction
- Intelligent: In daylight will automatic turn off. In dark night, when nobody will with weak light, when someone approaching will with strong light, wiring free, zero electric charge
- o Use Road photoelectric PC Lens Design, meet pavement irradiation requirements

CCT:3000/4000/6500K

	W Power	l ←→ l Size(mm)	Battery type	Waterproof	-∳- Luminous flux	Solar panel power	Installation Height	Warranty
KEOU-LD001-20W	20W	395x205x55	3.2V /8000mAH	IP66	400lm	8W/6V	3-4m	3 Years
KEOU-LD001-40W	40W	500x248x66	3.2V /10000mAH	IP66	800lm	10W/6V	3-5m	3 Years
KEOU-LD001-60W	60W	630x248x66	3.2V /15000mAH	IP66	1500lm	15W/6V	3-6m	3 Years



RED, GREEN AND BLUE LIGHTING ACCENTS.















- O Solar charging, no need to pay electricity bills, saving cost.
- O Wireless, Easy installation, saving time.
- o Long lifespan, energy-saving, environmentally friendly.IP65 waterproof level, easy to deal with all kinds of weather.

Color: Yello	Color: Yellow / Blue / Green / Purple							
Model number	KEOU-TL0001-96	Waterproof	IP65	LED QTY	96			
l < → l Size(mm)	650x140x140mm	Battery type	3.7V/1200mAH	Warranty	1 Years			
* Material	ABS+PC	-). Luminous flux	301lm	Solar panel power	0.88W/5.5V			



RED, GREEN AND BLUE LIGHTING ACCENTS















- O Solar charging, no need to pay electricity bills, saving cost.
- O Wireless, Easy installation, saving time.
- Long lifespan, energy-saving, environmentally friendly.IP65 waterproof level, easy to deal with all kinds of weather.

Color: Yellow / Blue / Green / Purple							
Model number	KEOU-TL0003-96	Waterproof	IP65	LED QTY	96		
l < → l Size(mm)	780x97x97mm	Battery type	3.7V/1200mAH	Warranty	1 Years		
* Material	ABS+PC	∰ Luminous flux	301lm	Solar panel power	0.88W/5.5V		



SOLAR ENERGY FLAME EFFECT LIGHT















- O Solar charging, no need to pay electricity bills, saving cost.
- O Wireless, Easy installation, saving time.
- Long lifespan, energy-saving, environmentally friendly.IP65 waterproof level, easy to deal with all kinds of weather.

Color: Yello	Color: Yellow / Blue / Green / Purple							
Model number	KEOU-TL0002-96	Waterproof	IP65	LED QTY	96			
l <→ l Size(mm)	780x97x97mm	Battery type	3.7V/1200mAH	Warranty	1 Years			
* Material	ABS+PC	∴ Luminous flux	301lm	Solar panel power	0.88W/5.5V			



ZERO ELECTRIC CHARGE FOR WHOLE YEAR















Detailed description

- O In daytime automatic turn to charging mode, in dark night automatic light up, zero electric charge.
- O Zero electric charge for whole year.
- O IP65 protection grade, waterproof, moisture-proof, anti-corrosion
- O Three sides lighting, shift switch is in front, easy to adjust with indicator light.

CCT:3000K / 6500K

Model number	LED QTY	l ←→ l Size(mm)	Waterproof	<mark> ◆ </mark> Battery type	-🍑- Luminous flux	Solar panel power	Warranty	* Material
KEOU-BD0002-34	34	153xx106x48mm	IP65	3.7V/1200mAH	300lm	0.7W/5.5V	1 Years	ABS+PC
KEOU-BD0002-54	54	298x105.4x47.5mm	IP65	3.7V/4000mAH	800lm	1.5W/5.5V	1 Years	ABS+PC
KEOU-BD0002-90	90	298x105.4x47.5mm	IP65	3.7V/4400mAH	1000lm	3W/5.5V	1 Years	ABS+PC



LIGHT-OPERATED HUMAN INDUCTION















Detailed description

- O In daytime automatic turn to charging mode, in dark night automatic light up, zero electric charge.
- O Zero electric charge for whole year.
- O IP65 protection grade, waterproof, moisture-proof, anti-corrosion
- O Three sides lighting, shift switch is in front, easy to adjust with indicator light.

CCT:3000K / 6500K

Model number	LED QTY	l ←→ l Size(mm)	Waterproof	<mark> ▼</mark> Battery type	-🍑- Luminous flux	Solar panel power	Warranty	Å Material
KEOU-BD0001-34	34	158.4x105.4x48mm	IP65	3.7V/2200mAH	450lm	0.55W/5.5V	1 Years	ABS+PC
KEOU-BD0001-54	54	304x105.4x48mm	IP65	2x3.7V/2200mAH	800lm	1.43W/5.5V	1 Years	ABS+PC
KEOU-BD0001-66	66	304x105.4x48mm	IP65	2x3.7V/2200mAH	900lm	1.43W/5.5V	1 Years	ABS+PC
KEOU-BD0001-90	90	304x105.4x48mm	IP65	2x3.7V/2200mAH	1000lm	1.43W/5.5V	1 Years	ABS+PC



SOLAR ENERGY FLAME EFFECT LIGHT















- o In daytime automatic turn to charging mode, in dark night automatic light up,
- o Zero electric charge for whole year.
- O IP65 protection grade, waterproof, moisture-proof, anti-corrosion
- O Flexible performance: light-operated + Human induction, when people approaching turn to bright light, when people leave turn to slight light.

CCT:30001	CCT:3000K / 6500K							
Model number	KEOU-BD0003-166	Waterproof	IP65	LED QTY	166			
l <→ l Size(mm)	150X260X90mm	Battery type	3.7V/3600mAH	Warranty	1 Years			
* Material	ABS+PC	-)- Luminous flux	480lm	Solar panel power	1.98W/5.5V			



LIGHT-OPERATED HUMAN INDUCTION















- o In daytime automatic turn to charging mode, in dark night automatic light up,
- o Zero electric charge for whole year.
- O IP65 protection grade, waterproof, moisture-proof, anti-corrosion
- Flexible performance: light-operated + Human induction, when people approaching turn to bright light, when people leave turn to slight light.

CCT:3000K / 6500K							
	KEOU-BD0005-2.5W	Waterproof	IP65	LED QTY	32		
l <→ l Size(mm)	110x34x190mm	Battery type	3.7V/1800mAH	Warranty	1 Years		
Material	ABS+PC	-🍑- Luminous flux	300lm	Solar panel power	1W/5.5V		



ZERO ELECTRIC CHARGE FOR WHOLE YEAR















- o In daytime automatic turn to charging mode, in dark night automatic light up,
- o Zero electric charge for whole year.
- O IP65 protection grade, waterproof, moisture-proof, anti-corrosion
- O Flexible performance: light-operated + Human induction, when people approaching turn to bright light, when people leave turn to slight light.

CCT:30001	K / 6500K				
Model number	KEOU-BD0005-5W	Waterproof	IP65	LED QTY	42
l < → l Size(mm)	180x120x30mm	Battery type	3.7V/2200mAH	Warranty	1 Years
* Material	ABS+PC	- ∳ - Luminous flux	380lm	Solar panel power	1W/5.5V