SPLIT AIR CONDITIONER



As industrious we can do better quality

Three series of the wall mounted split air conditioner

- 1 KFR-26GW Series
- 2 KFR-35GW Series
- 3 KFR-51GW Series

OEM CUSTOMIZED

Features of the AC units

Refrigerant



Be most widely used in the air conditioner




Be friendly to the ozone layer, environment.

Function



Cooling & heating



It depends on the application place and customers' requirements

Frequency




- Reasonable price
- Simple maintenance
- Mature technology



- Energy saving
- High accuracy of TC
- More comfortable


Features of the AC units



Pure Copper Tubes

- •High thermal conductivity
- Assist fast cooling and heating





Cross-flow Fan

- Non-isometric
- Avoid resonance
- Reduce noise


























KFR-26GW Series









Small volume, Big air volume

Beautiful appearance, embellish your home

Frequency	Constant frequency						
Function		Cooling		C	Cooling	ooling and heating	
Power	220	OV-240V / 50H	IZ		110V / 60HZ		
Cooling capacity	2600	w	9000) btu		0.75 ton	
Cooling power input			820	w			
Cooling EER			3.2				
Heating capacity	2850	w	9720) btu		0.8 ton	
Heating power input	860W						
СОР	3.3						
Air volume	550 m³/h						
Rated Current	5.6 A						
Indoor/outdoor noise	30-36 DB / 45DB						
Refrigerant	R22 ,650g R410a , 650g						
Dimension	Indoor unit 737×245×190 Outdoo		Outdoor unit	t	650×245×540		
Pattern	Printing or pure write						
Compressor	Gree, Chigao, Hitachi ,GMCC						
Accessories	Remote control, copper connecting pipe, instruction book						

KFR-35GW Series





Ultra-silence, enjoy a good sleep More choices, more beautiful

Frequency	Constant Variable			/ariable	
Function			Cooling , Co	ooling and heating	
Power			220V-240V /	50HZ, 110V / 60HZ	
Cooling capacity	3500	3500 W 12000 btu 1 ton			1 ton
Cooling power input	1160 W 170-1550W			0-1550W	
Cooling EER	3.2				
Heating capacity	3850	3850 W 13100 btu 1 ton			
Heating power input	1230 W 160-1570W				
СОР	3.1				
Air volume	600 m³/h				
Rated Current	5.3 A 1.0-7.4 A				
Indoor/outdoor noise	30-36 DB / 45DB 18-36 -41DB / 45DB				
Refrigerant	R22 ,860g R410a , 860g				
Dimension	Indoor unit	850×295×190 Outdoor unit		Outdoor unit	780×260×540
Pattern	Printing or pure write				
Compressor	Gree, Chigao, Hitachi , GMCC				
Accessories	Remote control, copper connecting pipe, instruction book				

KFR-51GW Series





More choices, only for your honor Energy-efficient with environment protection

Frequency	Constant Variable					
Function			Cooling,	Cooling and heating		
Power			220V-240V	/ / 50HZ, 110V / 60HZ		
Cooling capacity	5100 W 18000 btu 1.5 ton			on		
Cooling power input		1510 W		3	50-2160W	
Cooling EER	3.4					
Heating capacity	5850 W 19800 btu			1.6 to	on	
Heating power input	1490 W 350-2930W					
СОР	3.6					
Air volume	700 m³/h					
Current	9.7 A 1.6-11.7A					
Indoor/outdoor noise	28-36 DB / 45DB 25-38-45 DB / 45DB					
Refrigerant	R22 ,1500g R410a , 1500g					
Dimension	Indoor unit	ndoor unit 1010×325×215 Outdoor unit		840×29	90×600	
Pattern	Printing or pure write					
Compressor	Gree, Chigao, Hitachi , GMCC					
Accessories	Remote control, copper connecting pipe, instruction book					

A Little difference, more accurate choice

KFR-32GW

Frequency	Constant		Variable	
Function	Cooling , Cooling and heating			
Cooling capacity	3200 W	10000 btu	0.9 ton	
Pattern	Printing or pure write			
Compressor	Gree, Chigao, Hitachi , GMCC			

KFR-36GW

Frequency	Constant		Variable	
Function	Cooling , Cooling and heating			
Cooling capacity	3600 W	12200 btu	0.91 ton	
Pattern	Printing or pure write			
Compressor	Gree, Chigao, Hitachi , GMCC			

KFR-50GW

Frequency	Constant		Variable	
Function	Cooling , Cooling and heating			
Cooling capacity	5000W	17000 btu	1.4 ton	
Pattern	Printing or pure write			
Compressor	Gree, Chigao, Hitachi , GMCC			

KFR-50LW or KFR-50GW

Frequency	Constant		Variable		
Function	Cooling , Cooling and heating				
Cooling capacity	5000W	17000 btu		1.4 ton	
Pattern	Printing or pure write				
Compressor	Gree, Chigao, Hitachi , GMCC				

KFR-72LW or KFR-72GW

Frequency	Constant		Variable	
Function	Cooling , Cooling and heating			
Cooling capacity	7200W 24000		otu	2 ton
Pattern	Printing or pure write			
Compressor	Gree, Chigao, Hitachi , GMCC			













