



制造商：揭阳市松兴五金制品厂
Manufacturer: Jieyang Songxing Hardware Factory

地址：广东省揭阳市磐东镇城西工业区
手机：15813555555 | 15914488888
电话：86-0663-8812817 传真：86-0663-8832935
网址：<http://www.songxingwj.com> 邮箱：gdsxwj@163.com



合页 · Hinge



滑轨 · Slide



产品画册
Products manual
服务热线：4008-300-989



**SONGXING
HARDWARE**

企业简介 (车间实景)

Enterprise introduction

松兴五金, 专业品质,
与你携手共进, 走向未来.....



揭阳市蓝城区城西松兴五金厂位于素有“五金基地”美誉的揭阳市榕东城西工业区, 是一家集研发、生产、销售为一体的五金制造企业, 主要生产铁合页、不锈钢合页、旗型合页、钢珠滑轨、铰链、膨胀螺丝等装饰五金。
 本厂现配备先进的生产设备、精湛的工艺及技术, 拥有一批高素质的研发、模具制作、加工生产、产品检测的专业技术人员, 并建立了完善的生产管理制度及严格的质量管理体系, 一直严把质量关, 使产品不断推陈出新, 并以质量高、价格合理的优势, 深受广大客户的好评及信赖。旗下品牌“松兴”、“星际”、“坚利信”、“萨克森”、“皇页”、“新势力”、“布啦格”五金产品畅销全国各地, 远销欧美、东南亚、中东等国家和地区。
 竭诚欢迎国内外客商来人来函洽谈业务或来样定做。我们将提供最优良的产品, 最合理的价格, 最优质的服务, 以“顾客为中心”。愿我们精诚合作, 共创辉煌。

Jieyang Songxing Hardware Factory, located in the well-known metal base of Jieyang City Rong Xi Industrial Zone, integrates the research and development, production and sale of hardware together. Our main products including door hinges, drawer slide, door stopper, door latch, concealed hinges, anchor bolts and other decoration hardware items.
 Our factory is equipped with advanced production equipment, professional technology, and has a group of technical personnel for high quality research and development, mold production, processing production, and product testing. We have established a sound production management system and a strict quality management system. Because of our good quality product, excellent customer service and prompt delivery, we have gained many customers from overseas. During the past years of production and selling, we have set up our own brand, such as "Songxing", "Star", "Jian Li Xin" and "Huang Ye" "ihinge" "islide" bulage" etc.
 We sincerely hope that we can establish a good business cooperation relationship with customers from domestic and overseas. We give the first priority to OEM orders. We will provide the best quality products, the most reasonable prices, and the best customer services for customers. Welcme to contact us for more information and your enquiry will be highly appreciated!




荣誉

QUALIFICATION

松兴在市场的竞争发展中, 不断的创新和发展, 每一个新产品的开发, 都源于公司研究人员在各地吸纳经验和与客户的不断沟通, 捕捉市场信息, 准确分析产品的发展趋势所得的资信, 使产品设计师研发出高质量的系列产品。新产品从每一个草图到批量生产经过多个步骤: 研究开发、样品制造、测试设计、模具制造、安排生产、质量把关。每一个步骤无不凝聚着松兴人的心血。

In the development of the market competition, Jieyang Songxing Hardware Factory is always undertaking continuous innovation and development. Every new product are derived from the marketing research, absorbing experience from different places, constant communication with customers and repeat modification. Each new product from sketch to mass production, have to go through many steps: research and innovation, sample production, quality testing, mould processing, mass production, quality inspection, each step embodies our hardwork and effort.



Enterprise Culture

松兴企业文化

企业核心价值观

注重奋斗与自强
坚持精品研发与技术创新
追求精致耐用、美感享受的产品
专注客户满意度与合理购买力

服务理念

我们的产品=艺术+生活
我们的服务=专业+真诚
我们的(产品+服务)=您的满意
我们的目标>您的满意

CORPORATION CULTURE

Focus on striving and self-renewal
Insist on quality goods research and technical innovation
Pursue products of delicacy and durability as well as beauty enjoyment
Concentrate on clients satisfaction and reasonable purchasing power

SERVICE IDEA

Our product=art+life
Our service=professional+sincerely
Our product+service=Your satisfaction
Our goal>Your satisfaction



Songxing

Innovation + Quality + Service + Reliability
创新+品质+服务+可靠性

创新

INNOVATION

为家具创造新未来新科技与实用性
TO CREATE A NEW FUTURE AND IMPROVE PRACTI-CABILITY FOR FURNITURE

服务

SERVICE

为我们客户提供最好的产品与运用，最佳的解决方案
PROVIDE OUR CUSTOMERS WITH THE BEST QUALITY GOODS AND THE BEST SOLUTION

品质

QUALITY

优质的五金配件能提高家具使用品质
IMPROVE THE QUALITY OF FURNITURE

可靠性

RELIABILITY

可靠性基于品质，创新，服务的基础上。具有高度的责任意识。
RELIABILITY BASED ON QUALITY,INNOVATION,SERVICE WITH A HIGH SENSE OF RESPONSIBILITY.

Enterprise Brand

< 我们的品牌 >



< 优质五金·开启新生活 >

松兴五金，点缀家居更温馨
Songxing Hardware
Make your house more comfortable


产品目录

CONTENT/CATALOGUE

松兴品牌，专业五金制造商—精于心，品质出众！



01-22 合页系列
Songxing Door Hinge series



23-40 滑轨系列
Songxing Slide series



41-44 铰链系列
Songxing Conceal Hinge



45-50 包装系列
Songxing Package series

松兴五金，专业品质，与你携手共进

Songxing hardware Professional quality Let me come with you into the future

Songxing

品味·高雅·生活
TASTE · ELEGANT · LIVING



时尚家居装饰五金

HINGE

ESSENTIAL

household decoration fashion accessories

【雅居首选，松兴合页】

BRAND

HARDWARE

Agile preferred Songxing hinge

松兴五金/品牌卓著/畅旋美居理想生活
brand distinguished / smooth spin Mercure ideal life



松兴合页特点 Songxing Hinge Series

1 合页片平整光滑，螺钉孔合理分布，304高档不锈钢铸成，更耐磨，更耐用。

The surface of hinges is smooth and even, holes of bolts distribute reasonably, adopt top-grade stainless steel to manufacture, more wear-resistant and more durable.



2 高级不锈钢滚珠轴承，可确保开合顺畅，合页开关门时轻松无噪音。

High-class stainless steel ball bearings can ensure without noise in opening and closing of the door.



3 封头表面坚硬平滑，与轴承紧密咬合，不易松动，合页寿命可达20万次以上。

The surface of hinge cap is smooth and hard, occludes bearing closely, not easily loose and makes the use life of hinge up to more than 200,000 times.



4 中轴是合页之枢纽，坚固强硬，不易生锈，紧固轴承形成合力使开关门时顺畅无声。

Mid-pin is pivot of hinge and solid, hard, not easily rusty. These it's make the door silence in opening and closing.





4寸 精品铁合页系列(4 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢, 红古, 青古, 拉丝金, 哑光黑
Finished: SS, AC, AB, SB, MB
- 主要功能: 承轴门合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门, 房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承, 抗腐蚀, 防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust




4寸 精品铁合页系列(4 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢, 红古, 青古, 拉丝金, 哑光黑
Finished: SS, AC, AB, SB, MB
- 主要功能: 承轴门合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门, 房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承, 抗腐蚀, 防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust



表面处理/Finish



表面处理/Finish





4寸 精品铁合页系列(4 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢、红古、青古、拉丝金、哑光黑
Finished: SS, AC, AB, SB, MB
- 主要功能: 承载门合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承、抗腐蚀、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



4寸轴承铁子母合页
型号(Model): 子母4330A(拉丝钢)
参数(Parameter): 4x3x3.0mm
100mmx78mmx2.9mmΦ13.5mm



4寸轴承铁子母合页
型号(Model): 子母4330A(拉丝金)
参数(Parameter): 4x3x3.0mm
100mmx78mmx2.9mmΦ13.5mm



4寸轴承铁子母合页
型号(Model): 子母4330A(红古铜)
参数(Parameter): 4x3x3.0mm
100mmx78mmx2.9mmΦ13.5mm



4寸轴承铁子母合页
型号(Model): 子母4330A(青古铜)
参数(Parameter): 4x3x3.0mm
100mmx78mmx2.9mmΦ13.5mm

4寸 精品铁合页系列(4 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢、红古、青古、拉丝金、哑光黑
Finished: SS, AC, AB, SB, MB
- 主要功能: 承载门合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承、抗腐蚀、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



4寸轴承铁子母合页(偏轴)
型号(Model): P子母4330A(哑光黄古铜)
参数(Parameter): 4x3x3.0mm
100mmx77mmx2.9mmΦ13mm



4寸轴承铁子母合页(偏轴)
型号(Model): P子母4330A(哑光红古铜)
参数(Parameter): 4x3x3.0mm
100mmx77mmx2.9mmΦ13mm



4寸轴承铁子母合页(偏轴)
型号(Model): P子母4330A(哑光青古铜)
参数(Parameter): 4x3x3.0mm
100mmx77mmx2.9mmΦ13mm



4寸轴承铁子母合页(偏轴)
型号(Model): P子母4330A(哑光黑)
参数(Parameter): 4x3x3.0mm
100mmx77mmx2.9mmΦ13mm



5寸 精品铁合页系列(5 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢、红古、青古、拉丝金、哑光黑
Finished: SS, AC, AB, SB, MB
- 主要功能: 承轴门合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承、抗腐蚀、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



5寸轴承铁子母合页

型号(Model): P子母5320A(拉丝钢)
参数(Parameter): 5x3x2.0mm
115mmx74mmx1.9mmΦ11.0mm



5寸轴承铁子母合页

型号(Model): 子母5320A(红古铜)
参数(Parameter): 5x3x2.0mm
115mmx74mmx1.9mmΦ11.0mm



5寸轴承铁子母合页

型号(Model): 子母5325A(拉丝钢)
参数(Parameter): 5x3x2.5mm
125mmx75mmx2.3mmΦ12.0mm



5寸轴承铁子母合页

型号(Model): P子母5325A(红古铜)
参数(Parameter): 5x3x2.5mm
125mmx75mmx2.3mmΦ12.0mm

5寸 精品铁合页系列(5 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢、红古、青古、拉丝金、哑光黑
Finished: SS, AC, AB, SB, MB
- 主要功能: 承轴门合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承、抗腐蚀、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



5寸轴承铁子母合页

型号(Model): 子母5330A(拉丝钢)
参数(Parameter): 5x3x3.0mm
125mmx77mmx3.0mmΦ14.5mm



5寸轴承铁子母合页

型号(Model): 子母5330A(拉丝金)
参数(Parameter): 5x3x3.0mm
125mmx77mmx3.0mmΦ14.5mm



5寸轴承铁子母合页

型号(Model): 子母5330A(红古铜)
参数(Parameter): 5x3x3.0mm
125mmx77mmx3.0mmΦ14.5mm



5寸轴承铁子母合页

型号(Model): 子母5330A(青古铜)
参数(Parameter): 5x3x3.0mm
125mmx77mmx3.0mmΦ14.5mm



5寸 精品铁合页系列(5 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢、红古、青古、拉丝金、哑光黑
Finished: SS, AC, AB, SB, MB
- 主要功能: 承载门合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承、抗腐蚀、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



5寸轴承铁子母合页(偏轴)
型号(Model): P子母5330A(哑光黄古铜)
参数(Parameter): 5x3x3.0mm
125mmx79mmx3.0mmxΦ14.0mm



5寸轴承铁子母合页(偏轴)
型号(Model): P子母5330A(哑光红古铜)
参数(Parameter): 5x3x3.0mm
125mmx79mmx3.0mmxΦ14.0mm



5寸轴承铁子母合页(偏轴)
型号(Model): P子母5330A(哑光青古铜)
参数(Parameter): 5x3x3.0mm
125mmx79mmx3.0mmxΦ14.0mm



5寸轴承铁子母合页(偏轴)
型号(Model): P子母5330A(哑光黑)
参数(Parameter): 5x3x3.0mm
125mmx79mmx3.0mmxΦ14.0mm

6寸 精品铁合页系列(6 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢、红古、青古、拉丝金、哑光黑
Finished: SS, AC, AB, SB, MB
- 主要功能: 承载门合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承、抗腐蚀、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



6寸轴承铁子母合页
型号(Model): 子母6330A(拉丝钢)
参数(Parameter): 6x3x3.0mm
150mmx78mmx3.0mmxΦ17.5mm



6寸轴承铁子母合页
型号(Model): 子母6330A(红古铜)
参数(Parameter): 6x3x3.0mm
150mmx78mmx3.0mmxΦ17.5mm



4寸 精品铁合页系列(4 inch iron hinge series)

4寸 精品铁合页系列(4 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢, 红古, 青古, 拉丝金
Finished: SS, AC, AB, SB
- 主要功能: 承载门合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门, 房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承, 抗腐蚀, 防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust



■ 表面处理/Finish



4寸高级轴承铁合页
型号(Model): 平开9017(砂银)
参数(Parameter): 4x3x1.5mm
90mmx60mmx1.3mmxΦ9.0mm

4寸高级轴承铁合页
型号(Model): 平开9017(砂金)
参数(Parameter): 4x3x1.5mm
90mmx60mmx1.3mmxΦ9.0mm



4寸高级轴承铁合页
型号(Model): 平开9820(砂银)
参数(Parameter): 4x3x2.0mm
98mmx70mmx1.7mmxΦ10.5mm

4寸高级轴承铁合页
型号(Model): 平开9820(砂金)
参数(Parameter): 4x3x2.0mm
98mmx70mmx1.7mmxΦ10.5mm

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢, 红古, 青古, 拉丝金
Finished: SS, AC, AB, SB
- 主要功能: 承载门合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门, 房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承, 抗腐蚀, 防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust



■ 表面处理/Finish



4寸高级轴承铁合页
型号(Model): 平开4325(拉丝钢)
参数(Parameter): 4x3x2.5mm
100mmx75mmx2.2mmxΦ12.0mm

4寸高级轴承铁合页
型号(Model): 平开4325(拉丝金)
参数(Parameter): 4x3x2.5mm
100mmx75mmx2.2mmxΦ12.0mm



4寸高级轴承铁合页
型号(Model): 平开4330(红古铜)
参数(Parameter): 4x3x3.0mm
100mmx76mmx2.9mmxΦ13.0mm

4寸高级轴承铁合页
型号(Model): 平开4330(青古铜)
参数(Parameter): 4x3x3.0mm
100mmx76mmx2.9mmxΦ13.0mm



5寸 精品铁合页系列(5 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢, 红古, 青古, 拉丝金
Finished: SS, AC, AB, SB
- 主要功能: 承载门扇合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承, 抗腐蚀, 防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust



5寸高级轴承铁合页
型号(Model): 平开5115(砂银)
参数(Parameter): 5x3x2.0mm
115mmx70mmx1.7mmΦ10.5mm



5寸高级轴承铁合页
型号(Model): 平开5115(砂金)
参数(Parameter): 5x3x2.0mm
115mmx70mmx1.7mmΦ10.5mm

表面处理/Finish



5寸高级轴承铁合页
型号(Model): 平开5325(拉丝钢)
参数(Parameter): 4x3x1.5mm
125mmx73mmx2.5mmΦ12.0mm



5寸高级轴承铁合页
型号(Model): 平开5325(红古铜)
参数(Parameter): 4x3x1.5mm
125mmx73mmx2.5mmΦ12.0mm



5寸高级轴承铁合页
型号(Model): 平开5330(红古铜)
参数(Parameter): 5x3x3.0mm
125mmx76mmx2.9mmΦ13.0mm



5寸高级轴承铁合页
型号(Model): 平开5330(青古铜)
参数(Parameter): 5x3x3.0mm
125mmx76mmx2.9mmΦ13.0mm

3/4/5寸 精品铁合页系列(3/4/5 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢, 红古, 青古, 拉丝金
Finished: SS, AC, AB, SB
- 主要功能: 承载门扇合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承, 抗腐蚀, 防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

表面处理/Finish



3寸高级轴承铁合页
型号(Model): 88x88(拉丝钢)
参数(Parameter): 3.5x3.5x2.0mm
88mmx88mmx2.0mmΦ11.0mm



3寸高级轴承铁合页
型号(Model): 88x88(拉丝金)
参数(Parameter): 3.5x3.5x2.5mm
88mmx88mmx2.4mmΦ11.0mm



4寸可卸轴承铁合页
型号(Model): 平开4325(正标/拉丝钢)
参数(Parameter): 4x3x2.5mm
100mmx75mmx2.4mmΦ12.0mm



4寸可卸轴承铁合页
型号(Model): 平开4325(正标/拉丝金)
参数(Parameter): 4x3x2.5mm
100mmx75mmx2.4mmΦ12.0mm



5寸可卸轴承铁合页
型号(Model): 平开5325(正标/红古铜)
参数(Parameter): 5x3x2.5mm
125mmx75mmx2.4mmΦ12.0mm



5寸可卸轴承铁合页
型号(Model): 平开5325(正标/青古铜)
参数(Parameter): 5x3x2.5mm
125mmx75mmx2.4mmΦ12.0mm



4/5寸 精品铁合页系列(4/5 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢、红古、青古、拉丝金、哑光黑
Finished: SS, AC, AB, SB, MB
- 主要功能: 承载门扇合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点: 实心轴承、抗腐蚀、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust



4寸高级轴承铁合页

型号(Model): 平开4325B(小皇冠)
参数(Parameter): 4x3x2.5mm
100mmx75mmx2.2mmΦ12.0mm



4寸高级轴承铁合页

型号(Model): 平开4325A(大皇冠)
参数(Parameter): 4x3x2.5mm
100mmx78mmx2.4mmΦ14.5mm



4寸高级轴承铁合页

型号(Model): 平开4330A(大皇冠)
参数(Parameter): 4x3x3.0mm
100mmx78mmx3.0mmΦ15.0mm



5寸高级轴承铁合页

型号(Model): 平开5430A(大皇冠)
参数(Parameter): 5x3x3.0mm
140mmx78mmx3.0mmΦ15.0mm

表面处理/Finish



3/4寸 精品铁合页系列(3/4 inch iron hinge series)

- 主要材质: 钢铁
Material: Iron
- 表面处理: 拉丝钢、红古、青古、拉丝金、哑光黑
Finished: SS, AC, AB, SB, MB
- 主要功能: 承载门扇合页
Function: Supporting and switching room doors
- 适用范围: 各种木质大门、房门、衣柜门
Available for: All kinds of wooden gate and room doors Closet door
- 产品特点: 实心轴承、抗腐蚀、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust



3寸无轴承铁合页

型号(Model): 3" x2" x1.5(红古铜)
参数(Parameter): 75mmx50mmx1.3mmΦ8.5mm



3寸无轴承铁合页

型号(Model): 3.5" x2" x1.5(红古铜)
参数(Parameter): 88mmx56mmx1.5mmΦ9.0mm




4寸高级轴承铁合页

型号(Model): 4" x3" x2.0(红古铜)
参数(Parameter): 100mmx73mmx1.8mmΦ9.5mm




4寸高级轴承铁合页

型号(Model): 小3" 柜门铰(红古铜)
参数(Parameter): 适应18mm厚板



4寸高级轴承铁合页

型号(Model): 中3" 柜门铰(青古铜)
参数(Parameter): 适应21mm厚板



4寸高级轴承铁合页

型号(Model): 大3" 柜门铰(青古铜)
参数(Parameter): 适应29mm厚板



4寸 精品不锈钢合页系列(4 inch stainless steel hinge series)

- 主要材质：不锈钢
Material: stainless steel
- 表面处理：拉丝钢、红古、青古、拉丝金
Finished: SS, AC, AB, SB
- 主要功能：承载门扇合页
Function: Supporting and switching room doors
- 适用范围：各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点：滚珠轴承、抗腐蚀性、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



4寸正轴
4 inch positive axis



4寸偏轴
4 inch off-axis

型号(Model)	轴承(Bearing)	材料(Material)	规格(Specification)
SX-4320B	2BB	不锈钢(Stainless steel) 304/201	198mmx72mmx1.7mmxΦ10.6mm
SX-4325A(国标)	2BB	不锈钢(Stainless steel) 304/201	100mmx77mmx2.4mmxΦ13.5mm
SX-4325A(正标)	2BB	不锈钢(Stainless steel) 304/201	100mmx75mmx2.35mmxΦ12mm
SX-4325B(中标)	2BB	不锈钢(Stainless steel) 304/201	100mmx75mmx2.2mmxΦ12mm
SX-4330A(国标)	2BB	不锈钢(Stainless steel) 304/201	100mmx77mmx3.0mmxΦ14.2mm
SX-4330A(正标)	2BB	不锈钢(Stainless steel) 304/201	100mmx77mmx2.9mmxΦ13.5mm
SX-4330B(中标)	2BB	不锈钢(Stainless steel) 304/201	100mmx75mmx2.8mmxΦ13mm

5寸 精品不锈钢合页系列(5 inch stainless steel hinge series)

- 主要材质：不锈钢
Material: stainless steel
- 表面处理：拉丝钢、红古、青古、拉丝金
Finished: SS, AC, AB, SB
- 主要功能：承载门扇合页
Function: Supporting and switching room doors
- 适用范围：各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点：滚珠轴承、抗腐蚀性、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



5寸正轴
5 inch positive axis



5寸偏轴
5 inch off-axis

型号(Model)	轴承(Bearing)	材料(Material)	规格(Specification)
SX-子母5352A(正标)	2BB	不锈钢(Stainless steel) 304/201	125mmx77mmx2.4mmxΦ13.5mm
SX-子母5325B(中标)	2BB	不锈钢(Stainless steel) 304/201	125mmx74mmx2.2mmxΦ12.0mm
SX-子母5330A(正标)	2BB	不锈钢(Stainless steel) 304/201	125mmx77mmx2.9mmxΦ13.5mm
SX-子母5330A(国标)	2BB	不锈钢(Stainless steel) 304/201	127mmx77mmx3.0mmxΦ14.2mm



3寸 精品不锈钢合页系列(3 inch stainless steel hinge series)

- 主要材质：不锈钢
Material: stainless steel
- 表面处理：拉丝钢、红古、青古、拉丝金
Finished: SS, AC, AB, SB
- 主要功能：承轴门扇合页
Function: Supporting and switching room doors
- 适用范围：各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点：滚珠轴承、抗腐蚀性、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



3mmx2.5mm



3mmx3.0mm

型号(Model)	轴承(Bearing)	材料(Material)	规格(Specification)
SX-平开3x2.5x2.0	2BB	不锈钢(Stainless steel) 304/201	75mmx62mmx1.9mmxΦ11.0mm
SX-平开3x2.5x2.5	2BB	不锈钢(Stainless steel) 304/201	75mmx62mmx2.4mmxΦ12.0mm
SX-平开3x3.0x2.0	2BB	不锈钢(Stainless steel) 304/201	75mmx75mmx1.9mmxΦ11.0mm
SX-平开3x3.0x2.5	2BB	不锈钢(Stainless steel) 304/201	75mmx75mmx2.4mmxΦ12.0mm

4寸 精品不锈钢合页系列(4 inch stainless steel hinge series)

- 主要材质：不锈钢
Material: stainless steel
- 表面处理：拉丝钢、红古、青古、拉丝金
Finished: SS, AC, AB, SB
- 主要功能：承轴门扇合页
Function: Supporting and switching room doors
- 适用范围：各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点：滚珠轴承、抗腐蚀性、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



型号(Model)	轴承(Bearing)	材料(Material)	规格(Specification)
SX-平开4320A(正标)	4BB	不锈钢(Stainless steel) 304/201	100mmx75mmx1.9mmxΦ11.0mm
SX-平开4320B(非标)	4BB	不锈钢(Stainless steel) 304/201	98mmx72mmx1.7mmxΦ10.5mm
SX-平开4325A(正标)	4BB	不锈钢(Stainless steel) 304/201	100mmx75mmx2.4mmxΦ12.5mm
SX-平开4325B(中标)	4BB	不锈钢(Stainless steel) 304/201	100mmx74mmx2.2mmxΦ12.0mm
SX-平开4330A(正标)	4BB	不锈钢(Stainless steel) 304/201	100mmx76mmx2.9mmxΦ13.5mm
SX-平开4330B(中标)	4BB	不锈钢(Stainless steel) 304/201	100mmx75mmx2.7mmxΦ13.0mm
SX-平开4330A(国标)	4BB	不锈钢(Stainless steel) 304/201	102mmx76mmx3.0mmxΦ14.0mm
SX-平开4330A(正标)	4BB	不锈钢(Stainless steel) 304/201	100mmx75mmx2.8mmxΦ13.5mm



5寸 精品不锈钢合页系列(5 inch stainless steel hinge series)

- 主要材质：不锈钢
Material: stainless steel
- 表面处理：拉丝钢、红古、青古、拉丝金
Finished: SS, AC, AB, SB
- 主要功能：承载门扇合页
Function: Supporting and switching room doors
- 适用范围：各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点：滚珠轴承、抗腐蚀、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



4/5寸 精品不锈钢合页系列(4/5 inch stainless steel hinge series)

- 主要材质：不锈钢
Material: stainless steel
- 表面处理：拉丝钢、红古、青古、拉丝金
Finished: SS, AC, AB, SB
- 主要功能：承载门扇合页
Function: Supporting and switching room doors
- 适用范围：各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点：滚珠轴承、抗腐蚀、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

■ 表面处理/Finish



SX-4330



SX-5430

型号(Model)	轴承(Bearing)	材料(Material)	规格(Specification)
SX-平开5325A(正标)	4BB	不锈钢(Stainless steel) 304/201	125mmx75mmx2.4mmxΦ12.5mm
SX-平开5325B(中标)	4BB	不锈钢(Stainless steel) 304/201	125mmx74mmx2.2mmxΦ12.0mm
SX-平开5330A(正标)	4BB	不锈钢(Stainless steel) 304/201	125mmx76mmx2.9mmxΦ13.5mm
SX-平开5330B(中标)	4BB	不锈钢(Stainless steel) 304/201	125mmx75mmx2.7mmxΦ13.0mm
SX-平开5330A(国标)	4BB	不锈钢(Stainless steel) 304/201	127mmx76mmx3.0mmxΦ14.0mm

型号(Model)	轴承(Bearing)	材料(Material)	规格(Specification)
SX-平开4425	4BB/2BB	不锈钢(Stainless steel) 304/201	100mmx100mmx2.4mmxΦ12.0mm
SX-平开4430	4BB/2BB	不锈钢(Stainless steel) 304/201	100mmx100mmx2.9mmxΦ13.0mm
SX-平开5425	4BB/2BB	不锈钢(Stainless steel) 304/201	125mmx100mmx2.4mmxΦ12.0mm
SX-平开5430	4BB/2BB	不锈钢(Stainless steel) 304/201	125mmx100mmx2.9mmxΦ13.0mm



松兴五金，因专业更出众——合页系列
Songxing hardware, hinge series



HINGE SERIES
INSTALLATION TECHNIQUE
合页系列安装技术

5寸 精品不锈钢旗形合页系列(5 inch stainless steel Flag-shape hinge series)

- 主要材质：不锈钢
Material: stainless steel
- 表面处理：拉丝钢、红古、青古、拉丝金
Finished: SS, AC, AB, SB
- 主要功能：承轴门合页
Function: Supporting and switching room doors
- 适用范围：各种木质大门、房门
Available for: All kinds of wooden gate and room doors
- 产品特点：滚珠轴承、抗腐蚀性、防锈
Features: Solid Bearing, smooth and silent, corrosion, anti-rust

表面处理/Finish





5x4x3.0mm




5x4x2.5mm

型号(Model)	轴承(Bearing)	材料(Material)	规格(Specification)
SX-旗形5430	1BB	不锈钢(Stainless steel) 304/201	125mmx102mmx2.9mmxΦ18.0mm
SX-旗形5425	1BB	不锈钢(Stainless steel) 304/201	125mmx102mmx2.4mmxΦ17.0mm


门高度与合页安装数量 (单位: mm)
Different hinge quantities matching (Unit mm) with the door height.




不锈钢合页安装示意图
Installation indication of stainless steel hinge




按合页厚度挖槽，H=合页厚度
Digging is based on the hinge thickness, H = the hinge thickness.



A=合页宽, B=合页长, H=合页厚度
A=hinge width, B=hinge length, H=hinge thickness



将合页装在挖槽处
Put the hinge at the digging place



合页安装螺丝
Fixing screw for hinge

不锈钢合页承重表
The table of bearing weight of stainless steel hinge

合页厚度 Hinge thickness	合页高度 Hinge height	承重 Bearing weight
H=2.0mm	B=100mm	30 kg
	B=125mm	35 kg
H=2.5mm	B=100mm	40kg
	B=125mm	50-60kg
H=3.0mm	B=100mm	60kg
	B=125mm	70-80kg
H=3.5mm	B=100mm	90kg
	B=125mm	100-120kg
H=4.0mm	B=100mm	100-120kg
	B=125mm	100-120kg

以一扇门安装三只合页为准。Based on one door for three hinges



松兴滑轨特点 Songxing Slide



静音顺滑
Quiet and Smooth

松兴选用优质冷轧钢材料,生产工艺精细,精心完美的制作,使用抽屉进出拉动轻快静音,不存在任何卡位现象;另外滑轨配有高质量缓冲装置,抽屉关闭时轻柔静音,滑轨内部结构是集成家具五金行业顶尖技术,使抽屉抽拉顺滑。

Songxing ball bearing slides with a wide variety of products designs, using the high quality cold rolled steel material, exquisite and professional manufacturing, the drawers are sliding smooth back and forth silently without any stuck; Moreover, the ball bearing slides with high quality soft-closing device, fulfills to make the slides close silently with the top technology of the furniture hardware industry in the internal structure.



优质钢珠
High Quality Steel Ball

采用优质材料精制而成无毒、环保、并有效防止腐蚀及生锈,采用优质钢珠固定结构,保证了侧稳性,使用中安静无声!钢球固定结构是顺畅推拉的关键,并防有润滑油,独特平滑坚固滑轮,摩擦力小,阻力小轻松开关,消声静音!

Quality material, non-toxic environmentally friendly and effective to prevent corrosion and rust, adopt high quality steel ball fixed structure, Ensure the lateral stability, in use Silent! The unique ball fixed structure is the key to the smooth sliding and anti-oil, unique smooth solid pulley, friction force is small, small resistance Mute switch, noise elimination.



防脱装置
Prevent accidental detachment

即使在持久的负荷作用下,滑轨的钢珠也不会变形。内置缓冲设备,可有效吸收外力的运能,消除撞击所产生的噪音和振动,采用高质量材料,冲压成型,稳固结实,柔韧性好。

Even under the effect of sustained load, the deformation of the steel ball slide rail don't. Built-in buffer device, which can effectively absorb the external force, the capacity of eliminate the impact of noise and vibration, using high quality materials, stamping molding, solid strong, good flexibility

Songxing

品味·高雅·生活
TASTE · ELEGANT · LIVING




SF-4515A

高级新款自锁滑轨/Soft-closing slide



材料厚度(Thickness Range)

①	②	③
1.2x1.2x1.5mm		



- 轨宽度: 45mm
- 规格: 14"-24"
- 建议用途: 办公用具、橱具及家用抽屉。
- 额定负荷: 45kg/450mm(18")
- 安装方式: 侧面安装。12.7 ± 0.2mm。
- 表面处理: 蓝锌、彩锌、黑。
- 材料: 冷轧带钢。

- Slide width: 45mm
- Size: 14"-24"
- Recommended applications: office appliance, cabinet and house drawer.
- Load Capacity: 45kg/450mm(18").
- Installation method: side installation. 12.7 ± 0.2mm.
- Finishing: blue zinc, color zinc, black.
- Material: cold-rolled steel.

松兴滑轨特点(Songxing slide features)

	1 双弹簧抽力更平衡 Two spring		7 配热处理碳钢螺丝硬度强 不滑丝 With 22A screw
	2 采用优质铜管寿命 更长 Brass bolt		8 加力筋更有抗压性 With two line
	3 采用全国优质的材料 Good Material		9 采用国际孔位安排更方便 The international hole
	4 碱性封闭漆面通过36 个小时盐雾测试 36 hours salt spray test		10 材料厚度标准 Standard thickness
	5 冷镀锌珠片承重更好 Coated holding ball plate		11 优质钢珠消声静音 Good Material ball
	6 采用整套尼龙配件抗 寒耐高温 Full set of nylon accessories		12 全国首创五连珠 5 balls

SIZE	A	D	添條(mm)	珠片
350	350	700	175	2段
400	400	800	200	3段
450	450	900	225	4段
500	500	1000	250	4段
550	550	1100	275	5段
600	600	1200	150x2	6段


SF-4515

高级自锁滑轨/Soft-closing slide



材料厚度(Thickness Range)

①	②	③
1.2x1.2x1.5mm		



- 轨宽度: 45mm
- 规格: 14"-24"
- 建议用途: 办公用具、橱具及家用抽屉。
- 额定负荷: 45kg/450mm(18")
- 安装方式: 侧面安装。12.7 ± 0.2mm。
- 表面处理: 蓝锌、彩锌、黑。
- 材料: 冷轧带钢。

- Slide width: 45mm
- Size: 14"-24"
- Recommended applications: office appliance, cabinet and house drawer.
- Load Capacity: 45kg/450mm(18").
- Installation method: side installation. 12.7 ± 0.2mm.
- Finishing: blue zinc, color zinc, black.
- Material: cold-rolled steel.

松兴滑轨特点(Songxing slide features)

	1 采用全国优质的材料 Good Material		6 配热处理碳钢螺丝硬度强 不滑丝 With 22A screw
	2 碱性封闭漆面通过36 个小时盐雾测试 36 hours salt spray test		7 采用国际孔位安排更方便 The international hole
	3 三连珠稳定静音 3Balls		8 加力筋更有抗压性 With two line
	4 冷镀锌珠片承重更好 Coated holding ball plate		9 材料厚度标准 Standard thickness
	5 采用整套尼龙配件抗 寒耐高温 Full set of nylon accessories		10 优质钢珠消声静音 Good Material ball

SIZE	A	D	添條(mm)	珠片
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段




SS-4515

高级不锈钢钢珠滑轨/Stainless steel slide



材料厚度(Thickness Range)

①	②	③
1.2x1.2x1.5mm		



- 轨宽度: 45mm
- 规格: 10"-36"
- 建议用途: 办公用具、橱具及家用抽屉。
- 额定负荷: 45kg/450mm(18")
- 安装方式: 侧面安装。12.7 ± 0.2mm。
- 表面处理: 蓝锌、彩锌、黑。
- 材料: 冷轧带钢。

- Slide width: 45mm
- Size: 10"-36"
- Recommended applications: office appliance, cabinet and house drawer.
- Load Capacity: 45kg/450mm(18").
- Installation method: side installation. 12.7 ± 0.2mm.
- Finishing: blue zinc, color zinc, black.
- Material: cold-rolled steel.

松兴滑轨特点(Songxing slide features)



- 1 采用全国优质的材料
Good Material
- 2 不锈钢珠片(3珠)
Stainless steel holding ball plate(3balls)
- 3 三连珠稳定静音
3Balls
- 4 采用整套尼龙配件抗寒耐高温
Full set of nylon accessories
- 5 加力筋更有抗压性
With two line
- 6 尼龙大胶头具有防震功能
Big rubber
- 7 配不锈钢圆头螺丝更实用
With ss screw
- 8 采用国际孔位安排更方便
The international hole
- 9 材料厚度标准
Standard thickness
- 10 优质钢珠消声静音
Good Material ball

SIZE	A	D	添條(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段


SS-4512

高级不锈钢钢珠滑轨/Stainless steel slide



材料厚度(Thickness Range)


①	②	③
1.0x1.0x1.2mm		



- 轨宽度: 45mm
- 规格: 10"-36"
- 建议用途: 办公用具、橱具及家用抽屉。
- 额定负荷: 45kg/450mm(18")
- 安装方式: 侧面安装。12.7 ± 0.2mm。
- 表面处理: 蓝锌、彩锌、黑。
- 材料: 冷轧带钢。

- Slide width: 45mm
- Size: 10"-36"
- Recommended applications: office appliance, cabinet and house drawer.
- Load Capacity: 45kg/450mm(18").
- Installation method: side installation. 12.7 ± 0.2mm.
- Finishing: blue zinc, color zinc, black.
- Material: cold-rolled steel.

松兴滑轨特点(Songxing slide features)



- 1 采用全国优质的材料
Good Material
- 2 不锈钢珠片(3珠)
Stainless steel holding ball plate(3balls)
- 3 三连珠稳定静音
3Balls
- 4 采用整套尼龙配件抗寒耐高温
Full set of nylon accessories
- 5 加力筋更有抗压性
With two line
- 6 尼龙大胶头具有防震功能
Big rubber
- 7 配不锈钢圆头螺丝更实用
With ss screw
- 8 采用国际孔位安排更方便
The international hole
- 9 材料厚度标准
Standard thickness
- 10 优质钢珠消声静音
Good Material ball

SIZE	A	D	添條(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段




Y-4515/4510

圆边消声滑轨/Hettich Ball bearing slide



材料厚度(Thickness Range)

①	②	③
1.2x1.2x1.5mm		
1.0x1.0x1.0mm		



- ↕ 轨宽度: 45mm
- ↕ 规格: 10"-36"
- 🕒 建议用途: 办公用具、橱具及家用抽屉。
- 📦 额定负荷: 45kg/450mm(18")
- 🔧 安装方式: 侧面安装。12.7 ± 0.2mm。
- 🎨 表面处理: 蓝锌、彩锌、黑。
- 📄 材 料: 冷轧带钢。

- ↕ Slide width: 45mm
- ↕ Size: 10"-36"
- 🕒 Recommended applications: office appliance, cabinet and house drawer.
- 📦 Load Capacity: 45kg/450mm(18").
- 🔧 Installation method: side installation. 12.7 ± 0.2mm.
- 🎨 Finishing: blue zinc, color zinc, black.
- 📄 Material: cold-rolled steel.

松兴滑轨特点(Songxing slide features)

	① 采用全国优质的材料 Good Material		⑥ 加力筋更有抗压性 With two line
	② 三连珠稳定静音 3 Balls		⑦ 采用整套尼龙配件抗 寒耐高温 Full set of nylon accessories
	③ 碱性封闭漆面通过36 个小时盐雾测试 36 hours salt spray test		⑧ 采用国际孔位安排更方便 The international hole
	④ 冷镀板珠片承重更好 Coated holding ball plate		⑨ 材料厚度标准 Standard thickness
	⑤ 表面压花更上档次 With dotted finish		⑩ 优质钢珠消声静音 Good Material ball

SIZE	A	D	添修(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段


4515

高级三折滑声滑轨/Ball bearing slide



材料厚度(Thickness Range)

①	②	③
1.2x1.2x1.5mm		




- ↕ 轨宽度: 45mm
- ↕ 规格: 10"-36"
- 🕒 建议用途: 办公用具、橱具及家用抽屉。
- 📦 额定负荷: 45kg/450mm(18")
- 🔧 安装方式: 侧面安装。12.7 ± 0.2mm。
- 🎨 表面处理: 蓝锌、彩锌、黑。
- 📄 材 料: 冷轧带钢。

- ↕ Slide width: 45mm
- ↕ Size: 10"-36"
- 🕒 Recommended applications: office appliance, cabinet and house drawer.
- 📦 Load Capacity: 45kg/450mm(18").
- 🔧 Installation method: side installation. 12.7 ± 0.2mm.
- 🎨 Finishing: blue zinc, color zinc, black.
- 📄 Material: cold-rolled steel.

松兴滑轨特点(Songxing slide features)

	① 采用全国优质的材料 Good Material		⑥ 尼龙大胶头具有防震功能 Big rubber
	② 碱性封闭漆面通过36 个小时盐雾测试 36 hours salt spray test		⑦ 采用整套尼龙配件抗 寒耐高温 Full set of nylon accessories
	③ 三连珠稳定静音 3 Balls		⑧ 采用国际孔位安排更方便 The international hole
	④ 表面压花更上档次 With dotted finish		⑨ 材料厚度标准 Standard thickness
	⑤ 加力筋更有抗压性 With two line		⑩ 优质钢珠消声静音 Good Material ball

SIZE	A	D	添修(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段




4512

高级三折消声滑轨/Ball bearing slide



材料厚度(Thickness Range)

①	②	③
1.2x1.2x1.2mm		



- ↕ 轨宽度: 45mm
- ↕ 规格: 10"-36"
- ⊙ 建议用途: 办公用具、橱具及家用抽屉。
- 📦 额定负荷: 45kg/450mm(18")
- 🔧 安装方式: 侧面安装。12.7±0.2mm。
- 🎨 表面处理: 蓝锌、彩锌、黑。
- 📄 材 料: 冷轧带钢。

- ↕ Slide width: 45mm
- ↕ Size: 10"-36"
- ⊙ Recommended applications: office appliance, cabinet and house drawer.
- 📦 Load Capacity: 45kg/450mm(18").
- 🔧 Installation method: side installation. 12.7±0.2mm.
- 🎨 Finishing: blue zinc, color zinc, black.
- 📄 Material: cold-rolled steel.

松兴滑轨特点(Songxing slide features)



SIZE	A	D	添條(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段


4510

高级三折消声滑轨/Ball bearing slide



材料厚度(Thickness Range)


①	②	③
1.0x1.0x1.0mm		



- ↕ 轨宽度: 45mm
- ↕ 规格: 10"-36"
- ⊙ 建议用途: 办公用具、橱具及家用抽屉。
- 📦 额定负荷: 45kg/450mm(18")
- 🔧 安装方式: 侧面安装。12.5±0.2mm。
- 🎨 表面处理: 蓝锌、彩锌、黑。
- 📄 材 料: 冷轧带钢。

- ↕ Slide width: 45mm
- ↕ Size: 10"-36"
- ⊙ Recommended applications: office appliance, cabinet and house drawer.
- 📦 Load Capacity: 45kg/450mm(18").
- 🔧 Installation method: side installation. 12.5±0.2mm.
- 🎨 Finishing: blue zinc, color zinc, black.
- 📄 Material: cold-rolled steel.

松兴滑轨特点(Songxing slide features)



SIZE	A	D	添條(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段




K-4515

定制卡口滑轨/OEM kitchen basket slide



材料厚度(Thickness Range)

①	②	③
1.2x1.2x1.5mm		



轨宽度: 45mm

规格: 10"-36"

建议用途: 办公用具、橱具及家用抽屉。

额定负荷: 45kg/450mm(18")

安装方式: 侧面安装。12.7 ± 0.2mm。

表面处理: 蓝锌、彩锌、黑。

材料: 冷轧带钢。

Slide width: 45mm

Size: 10"-36"

Recommended applications: office appliance, cabinet and house drawer.


Load Capacity: 45kg/450mm(18").

Installation method: side installation. 12.7 ± 0.2mm.

Finishing: blue zinc-plated, color zinc-plated, black.

Material: cold-rolled steel.

松兴滑轨特点(Songxing slide features)



SIZE	A	D	添條(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段


42mm

高级消声滑轨/Ball bearing slide



材料厚度(Thickness Range)

①	②	③
1.0x1.0x1.0mm		
0.9x0.9x0.9mm		
0.8x0.8x0.8mm		



轨宽度: 42mm

规格: 10"-24"

建议用途: 办公用具、橱具及家用抽屉。

额定负荷: 28kg/450mm(18")

安装方式: 侧面安装。12.5 ± 0.2mm。

表面处理: 镀蓝锌、彩锌、黑。

材料: 冷轧带钢。

Slide width: 42mm

Size: 10"-24"

Recommended applications: office appliance, cabinet and house drawer.


Load Capacity: 28kg/450mm(18").

Installation method: side installation. 12.5 ± 0.2mm.

Finishing: blue zinc-plated, color zinc-plated, black zinc-plated.

Material: cold-roll with the stainless.

松兴滑轨特点(Songxing slide features)



SIZE	A	D	添條(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段




4008

三折消声滑轨/ Ball bearing slide



材料厚度(Thickness Range)


①	②	③
0.8x0.8x0.8mm		
0.7x0.7x0.7mm		



- 轨宽度: 40mm
- 规格: 10"-24"
- 建议用途: 办公用具、橱具及家用抽屉。
- 额定负荷: 28kg/450mm(18")
- 安装方式: 侧面安装。12.1 ± 0.1mm。
- 表面处理: 镀蓝锌、彩锌、黑。
- 材料: 冷轧带钢。

- Slide width: 40mm
- Size: 10"-24"
- Recommended applications: office appliance, cabinet and house drawer.
- Load Capacity: 28kg/450mm(18").
- Installation method: side installation. 12.1 ± 0.2mm.
- Finishing: blue zinc-plated, color zinc-plated, black zinc-plated.
- Material: cold-roll with the stainless.

松兴滑轨特点(Songxing slide features)



SIZE	A	D	添條(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段


37mm

三折消声滑轨/ Ball bearing slide



材料厚度(Thickness Range)


①	②	③
1.2x1.2x1.2mm		
1.1x1.1x1.1mm		
1.0x1.0x1.0mm		



- 轨宽度: 37mm
- 规格: 10"-24"
- 建议用途: 办公用具、橱具及家用抽屉。
- 额定负荷: 28kg/450mm(18")
- 安装方式: 侧面安装。12.5 ± 0.2mm。
- 表面处理: 镀蓝锌、彩锌、黑。
- 材料: 冷轧带钢。

- Slide width: 37mm
- Size: 10"-24"
- Recommended applications: office appliance, cabinet and house drawer.
- Load Capacity: 28kg/450mm(18").
- Installation method: side installation. 12.5 ± 0.2mm.
- Finishing: blue zinc-plated, color zinc-plated, black zinc-plated.
- Material: cold-roll with the stainless.

松兴滑轨特点(Songxing slide features)



SIZE	A	D	添條(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段



SS-3510

高级不锈钢滑轨/Stainless steel slide


35mm(方边/圆边)

三折消声滑轨/ Ball bearing slide



材料厚度(Thickness Range)


①	②	③
1.0x1.0x1.0mm		
0.9x0.9x0.9mm		



- 轨宽度: 35mm
- 规格: 10"-24"
- 建议用途: 办公用具、橱具及家用抽屉。
- 额定负荷: 28kg/450mm(18")
- 安装方式: 侧面安装。11.8±0.2mm。
- 表面处理: 镀蓝锌、彩锌、黑。
- 材料: 冷轧带钢。

- Slide width: 35mm
- Size: 10"-24"
- Recommended applications: office appliance, cabinet and house drawer.
- Load Capacity: 28kg/450mm(18").
- Installation method: side installation. 11.8±0.2mm.
- Finishing: blue zinc-plated, color zinc, black-plated.
- Material: cold-roll with the stainless.


松兴滑轨特点(Songxing slide features)



SIZE	A	D	添條(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段

材料厚度(Thickness Range)

①	②	③
0.8x0.8x0.8mm		
0.9x0.9x0.9mm		
1.0x1.0x1.0mm		



- 轨宽度: 35mm
- 规格: 10"-24"
- 建议用途: 办公用具、橱具及家用抽屉。
- 额定负荷: 28kg/450mm(18")
- 安装方式: 侧面安装。11.8±0.2mm。
- 表面处理: 镀蓝锌、彩锌、黑。
- 材料: 冷轧带钢。

- Slide width: 35mm
- Size: 10"-24"
- Recommended applications: office appliance, cabinet and house drawer.
- Load Capacity: 28kg/450mm(18").
- Installation method: side installation. 11.8±0.2mm.
- Finishing: blue zinc-plated, color zinc-plated, black zinc-plated.
- Material: cold-roll with the stainless.

松兴滑轨特点(Songxing slide features)



SIZE	A	D	添條(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段




30mm

三折钢珠滑轨/ Ball bearing slide



材料厚度(Thickness Range)

①	②	③
0.8x0.8x0.8mm		
0.9x0.9x0.9mm		



轨宽度: 30mm

规格: 10"-24"

建议用途: 办公用具、橱具及家用抽屉。

额定负荷: 20kg/300mm(12")

安装方式: 侧面安装。9.9±0.2mm。

表面处理: 镀蓝锌、彩锌、黑。

材料: 冷轧带钢。

Slide width: 30mm

Size: 10"-24"

Recommended applications: office appliance, cabinet and house drawer.

Load Capacity: 20kg/300mm(12").

Installation method: side installation. 9.9±0.2mm.

Finishing: blue zinc-plated, color zinc-plated, black zinc-plated.

Material: cold-roll with the stainless.

松兴滑轨特点(Songxing slide features)



① 采用全国优质的材料
Good Material



④ 材料厚度标准
Standard thickness



② 采用整套尼龙配件抗寒耐高温
Full set of nylon accessories



⑤ 优质钢珠消声静音
Good Material ball



③ 采用国际孔位安排更方便
The international hole

SIZE	A	D	添修(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段


27mm

二折消声滑轨/ Ball bearing slide



材料厚度(Thickness Range)

①	②
1.2x1.2mm	
1.0x1.0mm	



轨宽度: 27mm

规格: 10"-24"

建议用途: 办公用具、橱具及家用抽屉。

额定负荷: 20kg/300mm(12")

安装方式: 侧面安装。9.9±0.2mm。

表面处理: 镀蓝锌、彩锌、黑。

材料: 冷轧带钢。

Slide width: 27mm

Size: 10"-24"

Recommended applications: office appliance, cabinet and house drawer.

Load Capacity: 20kg/300mm(12").

Installation method: side installation. 9.9±0.2mm.

Finishing: blue zinc-plated, color zinc-plated, black zinc-plated.

Material: cold-roll with the stainless.

松兴滑轨特点(Songxing slide features)



① 采用全国优质的材料
Good Material



② 采用国际孔位安排更方便
The international hole



③ 材料厚度标准
Standard thickness



④ 优质钢珠消声静音
Good Material ball

SIZE	A	D	添修(mm)	珠片
250	250	500	110	3段
300	300	600	150	4段
350	350	700	175	5段
400	400	800	200	6段
450	450	900	225	7段
500	500	1000	250	8段
550	550	1100	275	9段
600	600	1200	150x2	10段

TOP-GRADE AUTO HINGE SERIES

BASED ON HIGH QUALITY PRODUCTS, BY MEANS OF EXCELLENT
SERVICES AND GOOD FAITH, TO REACH THE WIN-WIN GOALS
WITH CUSTOMERS.



Songxing

品味·高雅·生活
TASTE · ELEGANT · LIVING

Songxing Hardware



高档铰链/Conceal hinge

SX-261固定脚(铁/不锈钢) | 80g/pcs
SX-261 Slide-on (Iron/Stainless steel)




SX-263自卸脚(铁/不锈钢) | 88g/pcs
SX-263 Clip-on (Iron/Stainless steel)



- 开门角度: 105°
- 铰杯深度: 11.5mm
- 铰杯直径: 35mm
- 面板尺寸: 3-7mm
- 可选用板厚度: 14-24mm

- Angle of opening: 105°
- Depth of hinge cup: 11.5mm
- Diameter of hinge cup: 35mm
- Dimension of door (k): 3-7mm
- Range for door thickness: 14-24mm





高档铰链/Conceal hinge

SX-761固定脚(铁/不锈钢)
SX-761Slide-on(Iron/Stainless steel)

90g/pcs



全盖(Full overlay)



半盖(Half overlay)



入柱(Inset)

SX-763自卸脚(铁/不锈钢)
SX-763Clip-on(Iron/Stainless steel)

95g/98g/100g/pcs



全盖(Full overlay)





半盖(Half overlay)



入柱(Inset)

- 开门角度: 105°
- 铰杯深度: 11.5mm
- 铰杯直径: 35mm
- 面板尺寸: 3-7mm
- 可选用板厚度: 14-24mm
- Angle of opening: 105°
- Depth of hinge cup: 11.5mm
- Diameter of hinge cup: 35mm
- Dimension of door (k): 3-7mm
- Range for door thickness: 14-24mm



高档膨胀螺丝系列/Top-grade Anchors series

分类: 国标、中标、非标
Classification: GB/The BID/NON-standard
规格(Specifications): ϕ M6- ϕ M16
长度(Length): 50mm-150mm
颜色(Color): 彩锌/Choi zinc
白锌/White zinc



国标带钩系列
GB series with hooks



中标系列
GB series with hooks



非标六角系列
NON-standard hex series

国标系列
GB-series



松兴包装 | 魅力五金

SONGXING brand series package

作为主打品牌包装 以高贵之墨绿色为主打色 配以出色的亮黄 以黄色狮子的形象宣导松兴五金恒久耐用的品质 将产品形象表达得淋漓尽致。

布拉格包装 | 万众瞩目

BULAGE brand series package

采用非常抢眼的颜色搭配 时尚潮流 经典国际化风格彰显布拉格的卓尔不群，一经上市即受到各方客户关注 好评如潮。



皇页包装 | 皇家品质

HUANGYE brand series package

此创意设计以经典红黑相间彰显品牌高贵 力求塑造一个高档家居的高档五金品牌 使包装不仅市场中独树一帜 更是傲然天成。

新势力包装 | 黑色旋风

XINSHILI brand series package

黑色 是不老的时尚。此次创意设计采用国际化简约手法 以黑色突显包装内产品 立刻吸引住人们眼球 达到过目不忘之效。



帝业包装 | 王者风范

DIYE brand series package

此次创意设计紧紧把握帝业五金的现代感和品质感，以大面积的墨绿突显产品和品牌的炫目，给人以强烈的视觉冲击力，营造一个大气、空间概念。

帝格斯包装 | 黄金时代

DIGESI brand series package

整套包装以高贵之黄色作为主色调，以刚柔并济的手法彰显帝格斯品质感，简约而不乏时尚的设计风格符合现代精英对幸福生活追求的理想。

酷睿包装 | 睿智生活

DIYE brand series package

感受酷睿，品味生活。此次构思以稳重的黑色和银色相结合，以强烈的视觉冲击力塑造一种空间感，银色、简约、时尚，有酷睿，更精彩！

旺事达包装 | 五金首选

WANGSHIDA brand series package

旺事达包装以银色作为主色调，搭配橙色构成和谐视觉美感，雅俗共赏尽显旺事达与众不同的品位，为消费者缔造美丽非凡之家。



坚利信包装 | 经典红色

JIANLIXIN brand series package

坚利信系列包装以红色为主色调，黑色为辅助色，以精致花纹作为辅助图形，将坚利信倡导精致生活的品质理念传递给千家万户。

金品仕包装 | 品味生活

JINPINSHI brand series package

采用高贵经典的颜色体现产品的现代感和国际化品质，经典而不乏时尚充分展示金品仕高贵、典雅、大气的品牌气质。

赢德利包装 | 尊贵天成

YINGDELI brand series package

高贵、优雅、经典，此包装创意围绕品牌内涵而展开，营造一种尽享品质生活的氛围，达到无声胜有声之境界。

萨克森包装 | 紫色魅力

shakesen brand series package

整套包装以高贵之紫色作为主色调，配以银色搭配，优美的线条为辅助图形，体现出精工打造的企业精神。



▲门形修边吸塑卡
Door shape trimming Blister card

▲合页大吸塑卡
Hinge big Blister card

▲合页盒
Hinge box

▲门形修边吸塑牛皮箱
Door shape trimming Blister Leather box

iHinge包装 | 尽享品质生活

iHinge brand series package

超越期待，让品质更精彩。包装采用明快之紫色与白色进行搭配，对比鲜明，跳跃而不失沉稳，寓意 IHINGE 实现自我超越，不断追求的品牌精神。



▲滑轨彩盒
Slide color box

▲滑轨PVC盒
Slide PVC box

▲滑轨吸塑包装
Slide Blister Package

▲滑轨牛皮箱
Slide Leather box

松兴包装 | 魅力五金

SONGXING brand series package

作为主打品牌包装，以高贵之墨绿色为主底色，配以出色的亮黄，以黄色狮子的形象宣导松兴五金恒久耐用的品质，将产品形象表达得淋漓尽致。



▲滑轨彩盒
Slide color box

▲滑轨PVC盒
Slide PVC box

▲滑轨吸塑包装
Slide Blister Package

▲滑轨牛皮箱
Slide Leather box

Islide包装 | 尽享品质生活

Islide brand series package

超越期待，让品质更精彩。包装采用明快之紫色与白色进行搭配，对比鲜明，跳跃而不失沉稳，寓意 ISLIDE 实现自我超越，不断追求的品牌精神。



▲铰链卡大吸塑卡
Hinge Big Blister Card

▲铰链袋
Hinge Bag

▲铰链牛皮箱
Hinge Leather box

松兴包装 | 魅力五金

SONGXING brand series package

作为主打品牌包装，以高贵之墨绿色为主底色，配以出色的亮黄，以黄色狮子的形象宣导松兴五金恒久耐用的品质，将产品形象表达得淋漓尽致。